

A


INDEX MAPS.

T. 1N, R. 2E. 2nd Mer.

	67		67		67-68		67-68		67-68		66-68	
70	6	92	5	87	4	83	3	79	2	75	1	66
	92		91		86		82		79		75	
70	7	91	8	86	9	82	10	78	11	75	12	66
	91		90		86		82		78		74	
69	18	90	17	85	16	81	15	78	14	74	13	65
	90		89		85		81		77		73	
69	19	89	20	85	21	81	22	77	23	73	24	65
	89		88		84		80		77		73	
69	30	88	29	84	28	80	27	76	26	73	25	65
	88		87		83		80		76		72	
69	31	87	32	83	33	79	34	76	35	72	36	64
	63		63		63		64		64		64	

T. 2N, R. 2E. 2nd Mer.

	100		99-100		99-100		99-100		99-101		99-101	
103	6	121	5	117	4	114	3	110	2	106	1	98
	121		121		117		113		110		106	
102	7	120	8	117	9	113	10	109	11	106	12	98
	122		120		116		113		109		106	
102	18	120	17	116	16	112	15	109	14	105	13	98
	122		119		116		112		109		105	
102	19	119	20	115	21	112	22	108	23	105	24	97
	122		119		115		111		108		104	
101	30	118	29	115	28	111	27	107	26	104	25	97
	123		118		114		111		107		103	
101	31	118	32	114	33	111	34	107	35	103	36	97
	95		95-96		95-96		95-96		95-96		95-97	

 The figures on the lines refer to the page.

Township N. 2 North, Range N. 2 East, 2nd Mer. India.

South Boundary

West 1st Mile On Rand^m between Town 16th N. R 2 E.

40.00 Set the temp^y. q^r. Sec. post

80.00 Set temp^y. Mile post.

This mile is over good farming land, timber
Oak, Hickory, Poplar, Ash, Sugar, Elm, beech,
Walnut, andingth Spruce wood.

West 2nd Mile On Rand^m between Town 16th N. R 2 E.

40.00 Set temp^y. q^r. Sec. post

80.00 Set temp^y. Mile post. Land the Same

West 3rd Mile On Rand^m betwⁿ. Tⁿ. 16th N. R 2 E.

40.00 Set temp^y. q^r. Sec. post

80.00 Set temp^y. Mile post. Land &c. Same.

West 4th Mile on Rand^m between Town 16th N. R 2 E.

40.00 Set temp^y. q^r. Sec. post

80.00 Set temp^y. Mile post. Land &c. Same.

West 5th Mile on Rand^m betwⁿ. Town 16th N. R 2 E.

40.00 Set temp^y. q^r. Sec. post

80.00 Set temp^y. Sec. post. Land timber &c. Same

West 6th Mile on Rand^m betwⁿ. Town 16th N. R 2 E.

30.50 at Brook 50 l^{hs}. wide cr. N.

40.00 Set temp^y. q^r. Sec. post

80.25 Intersected the N. boundary 50 l^{hs}. S. of
the Town Corner. Land &c. Same.

Sept. 18th, 1806.

East On S. boundary of Sec. 31, T 2 N. R 2 E.

40.25 Set the q^r. Sec. post on true line, from which

2d N. R. 2 E. 2d Mer. Indiana

a P. Oak 20 m. dia. brang N 25 W 4 lks. dist of
 a Maple 10 " " " S 49 E 21 " "
 80.25 Set a post Cor. to Sec. 31 & 32, 2d N. R. 2 E. from which
 a W. Ash 15 m. dia. brang N 69 W 10 lks. dist of
 a Beech 10 " " " S 49 E 10 " "

East On S. boundary of Sec. 32, 2d N. R. 2 E.
 40.00 Set the q. Sec. post on true line, from which
 a W. Oak 29 m. dia. brang S 25 W 2 lks. dist of
 a Poplar 29 " " " S 20 W 7 1/2 " "
 80.00 Set a post Cor. to Sec. 32 & 33, 2d N. R. 2 E. from which
 a W. Oak 10 m. dia. brang S 68 E 20 lks. dist of
 an Ironw. 6 " " " N 37 W 10 " "

East On S. boundary of Sec. 33, 2d N. R. 2 E.
 40.00 Set the q. Sec. post, on true line, from which
 a W. Oak 24 m. dia. brang N 73 W 22 lks. dist.
 a Elm 20 " " " S 87 E 23 " "
 80.00 Set a post Cor. to Sec. 33 & 34, 2d N. R. 2 E. from which
 a W. Oak 20 m. dia. brang S 56 W 16 lks. dist of
 an Elm 10 " " " N 51 E 15 " "

East On S. boundary of Sec. 34, 2d N. R. 2 E.
 40.00 Set the q. Sec. post, from which
 a B. Walnut 10 m. dia. brang S 52 E 5 lks. dist of
 an Elm 10 " " " S 84 W 22 1/2 " "
 80.00 Set a post Cor. to Sec. 34 & 35, from which
 a P. Oak 10 m. dia. brang S 4 W 4 1/2 lks. dist of
 a Poplar 10 " " " S 42 E 18 " "

East On S. boundary of Sec. 35, 2d N. R. 2 E.
 40.00 Set the q. Sec. post on true line from which
 a Logwood 6 m. dia. brang N 70 W 5 lks. dist of

T2N R2E, 2^d Mer. Indiana

a Hickory 15 mi. dia. brans S 75 E 22 lks. dist
 80.00 at a post Cor. to Sec. 35 & 36, T2N, R2E, from which
 a Hickory 8 mi. dia. brans S 34 W 12 lks. dist. &
 a W. Oak 20 " " " S 39 E 8 " "

East On S. boundary of Sec. 36, T2N, R2E.
 40.00 at the q. Sec. post, from which
 a W. Oak 10 mi. dia. brans East 33 lks. dist. &
 a B. Oak 12 " " " N 12 W 9 1/2 " "
 80.00 to Lower Corner.

East Boundary

North On E. boundary of Sec. 36, T2N, R2E.
 40.00 at the q. Sec. post, from which
 a Maple 12 mi. dia. brans S 25 W 21 lks. dist. &
 a Do 15 " " " N 35 E 14 " "
 40.90 a W. Oak 15 " " in the line
 80.00 at a post Cor. to Sec. 25 & 36, T2N, R2E, from which
 a Poplar 58 mi. dia. brans S 73 E 4 lks. dist. &
 a B. Oak 5 " " " N 1 E 23 " "
 the last 1/2 mile very flat wet land.

North On E. boundary of Sec. 25, T2N, R2E.
 25.00 at Brook 10 lks. wide Cr. West
 40.00 at the q. Sec. post, from which
 a B. Oak 10 mi. dia. brans S 39 E 8 lks. dist. &
 a Do 10 " " " N 52 W 20 " "
 80.00 at a post Cor. to Sec. 24 & 25, T2N, R2E, from which
 a Hickory 10 mi. dia. brans N 27 W 25 lks. dist. &
 Sand level and brushy timber Oaks.

North On E. boundary of Sec. 24, T2N, R2E East
 3.75 a B. Oak 12 mi. dia. in the line

T2N R2E T. Mer Indiana

32.25 a Brook 6 hrs. wide C.P.M.

40.00 At the q. Sec. post, from which
a Hickory 10 m. diam. bears N 28 E 10 hrs. dist. of
a Do 8 " " " N 31 E 19 1/2 " "

80.00 At a post Cor. to Sec. 13 & 24, T2N. R2E, from which
a White Oak 20 m. diam. bears N 45 E 12 hrs. dist. of
a Dogwood 6 " " " N 38 W 16 " "

This mile is over thin brushy land, underg^d
Dogwood & Sassafras.

North On E. boundary of Sec. 13, T2N. R2E East

21.50 a Brook 10 hrs. wide C.P.M.

40.00 At the q. Sec. post, from which
a White Oak 10 m. diam. bears S 54 E 8 hrs. dist. of
a Do 18 " " " N 75 W 5 " "

52.05 a White Oak 10 " " in the line

80.00 At a post Cor. to Sec. 12 & 13, T2N. R2E, from which
a White Oak 12 m. diam. bears S 81 E 12 hrs. dist. of
a Do 10 " " " N 81 W 6 " "

Level W. Oak timbered Soil

North On E. boundary of Sec. 12, T2N. R2E.

40.00 At the q. Sec. post, from which
a White Oak 14 m. diam. bears S 3 E 38 hrs. dist. of
a Do 12 " " " N 10 W 9 " "

80.00 At the post Cor. to Sec. 1 & 12, T2N. R2E, from which
a Dogwood 4 m. diam. bears S 17 E 9 hrs. dist. of
a Gum 4 " " " N 52 W 3 1/2 " "

Land timbered. Same as on the last mile

North On E. boundary of Sec. 1, T2N. R2E.

23.10 a Poplar 20 m. diam. in the line

40.00 At the q. Sec. post, from which

99

S 2 N R 2 E 2nd Mer. Indiana

a Hickory 8 in. dia. beam N 9 E 14 lbs. dist. 4
 a do 12 " " " N 66 W 22 " "
 80.00 Set a post Corner to Township N. 2 & 3 North
 Range 2 & 3 East, from which
 a B. Oak 10 in. dia. beam S 23 E 15 lbs. dist. 4
 a do 10 " " " N 75 E 27 " "
 This mile over level oak timbered land
 undergth Dogwood, Sassafras &c.

North Boundary

West 1st mile on Rand^m between Towns 2 & 3 N. R 2 E.
 40.00 Set temp^y. of Sec. post. Oak timbered land level
 80.00 Set temp^y. mile post.
 This mile over level Oak timbered land, a great
 many fallen trees

West 2nd mile on Rand^m between Towns 2 & 3 N. R 2 E.
 40.00 Set temp^y. of Sec. post
 80.00 Set temp^y. mile post. Land &c. same quality

West 3rd mile on Rand^m between Towns 2 & 3 N. R 2 E.
 40.00 Set temp^y. of Sec. post
 80.00 Set temp^y. mile post. This mile over level
 Oak & Hickory timbered land. Undergth Dog-
 wood & Sassafras.

West 4th mile on Rand^m betwⁿ Towns 2 & 3 N. R 2 E.
 40.00 Set the of Sec. post temporary
 80.00 Set temp^y. mile post. Land &c. same quality

West 5th mile on Rand^m between Towns 2 & 3 N. R 2 E.
 40.00 Set temp^y. of Sec. post
 80.00 Set temp^y. mile post. Land &c. same quality

T³N. R²E. 2nd Mer. Indiana

West 6th mile on Random betw. Town 2 & 3 N. R²E.
 40.00 At camp of Sec. post
 65.00 a Brook 50 yds. wide Cr. S. W.
 84.96 Intersected the W. boundary 350 yds. S. of post.
 This mile over good farming land, timber oak
 Hickory &c.

East On S. boundary of Sec. 31, T³N. R²E.
 44.96 At the of Sec. post on true line, from which
 a dogwood 6 m. diam. bears N 76 E 2 1/2 hrs. dist
 a W. Oak 10 " " " S 32 W 17 " "
 84.96 At a post Cor. to Sec. 31 & 32, T³N. R²E. from which
 a W. Oak 12 m. diam. bears N 75 W 15 hrs. dist. &
 a Hickory 3 " " " S 37 E 6 " "

East On S. boundary Sec. 32, T³N. R²East
 40.00 At the of Sec. post on true line, from which
 a Gum 12 m. diam. bears S 85 W 13 hrs. dist. &
 a dogw. 6 " " " N 40 E 18 " "
 80.00 At a post Cor. to Sec. 32 & 33, T³N. R²E. from which
 a Gum 4 m. diam. bears N 45 W 11 hrs. dist. &
 a Do 10 " " " S 43 E 22 " "

East On S. boundary of Sec. 33, T³N. R²E.
 40.00 At the of Sec. post on true line, from which
 a dogw. 6 m. diam. bears S 83 E 17 hrs. dist. &
 a W. Oak 10 " " " S 45 W 19 " "
 80.00 At a post Cor. to Sec. 33 & 34, T³N. R²E. from which
 a dogw. 6 m. diam. bears S 85 W 16 hrs. dist. &
 a Do 6 " " " S 89 E 9 " "

East On S. boundary of Sec. 34, T³N. R²East
 40.00 At of Sec. post on true line, from which

T3N R2E. 2^d. Mer. Indiana 101 #

a B. Oak 6 m. dia. bear N 73 W 12 lks. dist. of
 a W. Oak 10 " " " N 78 E 21 " "
 80.00 Set a post Cor. to Sec. 34 & 35, T3N, R2E, from which
 a B. Oak 10 m. dia. bear S 79 W 15 lks. dist. of
 a W. Oak 8 " " " S 70 E 26 " "

East On S. boundary of Sec. 35, T3N, R2E.
 40.00 At the q. Sec. post on true line, from which
 a Poplar 6 m. dia. bear N 54 E 8 lks. dist. of
 a B. Oak 8 " " " S 60 W 12 " "
 80.00 Set a post Cor. to Sec. 35 & 36, T3N, R2E, from which
 a Gum 8 m. dia. bear N 86 W 18 lks. dist. of
 a Hick. 10 " " " N 82 E 26 " "

East On S. boundary of Sec. 36, T3N, R2E.
 40.00 At the q. Sec. post on true line, from which
 a B. Oak 10 m. dia. bear S 32 W 20 lks. dist. of
 a Do 8 " " " N 77 E 23 " "
 80.00 to the Town Corner. Sept. 22. 1806

West Boundary
 North On E. boundary of Sec. 36, T2N, R1E
 40.00 At the q. Sec. post, from which
 a B. Oak 30 m. dia. bear S 26 E 25 lks. dist. of
 a Do 12 " " " N 75 E 19 " "
 80.00 Set a post Cor. to Sec. 25 & 36, T2N, R1E, from which
 a Beech 24 m. dia. bear N 25 W 16 lks. dist. of
 a Do 12 " " " S 46 E 20 " "
 Land rich, timber Oak, Beech & Poplar,

North On E. boundary of Sec. 25, T2N, R1E.
 20.25 a Brook 10 lks. wide Cr. M.
 30.50 a Do 10 " " " S. M.

Lot R2 E 2nd. Mer. Indiana

40.00 At the q. Sec. post, from which
a Beech 12 m. dia. beam S85W5 lbr. dist
a Llo 15 " " " S65E23 " "
44.00 a Beech 24 " " in the line
80.00 At a post Cor. to Sec. 24 & 25, T2 N. R1 E. from which
a Maple 8 m. dia. beam S40W2 lbr. dist
a W. Oak 20 " " " S40E23 " "
Land rich level, timber Beech oak & maple.

North On E. boundary of Sec. 24, T2 N. R1 E.
0.95 a Maple 15 m. dia. in the line
40.00 At the q. Sec. post, from which
a Beech 20 m. dia. beam S32W19 lbr. dist
a B. Walnut 12 " " " S61E37 " "
80.00 At a post Cor. to Sec. 24 & 13, T2 N. R1 E. from which
a W. Oak 30 m. dia. beam South 5 lbr. dist
a Maple 24 " " " S44W34 " "
Land level & rich, Oak & Poplar, undgth.
Spruce wood.

North On E. boundary of Sec. 13, T2 N. R1 E.
8.00 a Poplar 20 m. dia. in the line
21.75 a Llo 20 " " " " "
40.00 At the q. Sec. post, from which
a W. Oak 20 m. dia. beam S70E2 lbr. dist
a Llo 15 " " " N70W9 " "
80.00 At a post Cor. to Sec. 12 & 13, T2 N. R1 E. from which
a Dogwood 7 m. dia. beam S50W24 lbr. dist
a Llo 8 " " " S31E14 " "
Very brushy level timber Oak & Hickory

North on E. boundary of Sec. 12, T2 N. R1 E.
40.00 At the q. Sec. post, from which

T²N. R²E. T². Mer. Indiana

103 #

a Hickory 5 in dia. brans N 60° W 6 1/2 m. dist.
 a B. Oak 20 " " " South 2 " "
 58.50 a Brook 150 yds. wide E. W.
 79.50 a W. Oak 20 in. dia. in the line
 80.00 Set a post Cor. to Sec. 1 & 2, T²N. R²E, from which
 a Hickory 5 in. dia. brans N 73° W 1 1/2 m. dist.
 a Dogw. 5 " " " S 73° E 16 yds. "
 Land rich and level.

North On E. boundary of Sec. 1, T²N. R²E
 40.00 Set the q. Sec. post, from which
 a W. Oak 20 in. dia. brans N 86° W 22 yds. dist.
 a do 20 " " " " N 14° E 34 " "
 60.00 a Brook 50 yds. wide E. S. W.
 80.00 Set a post Cor. to Township N. 2 & 3 North
 Range 1 & 2 East, from which
 a W. Walnut 10 in. dia. brans S 33° W 14 yds. dist.
 a do 8 " " " " N 41° E 16 " "
 Land timber &c. same as on the last mile
 Surveyed by Arthur Murrie, Dep. Sur.

Subdivision

North Between Sec. 35 & 36, T²N. R²E
 39.30 a Maple 10 in. dia. in the line
 40.00 Set the q. Sec. post, from which
 a W. Oak 13 in. dia. brans East 9 1/2 m. dist.
 a do 20 " " " " N 53° W 4 " "
 80.00 Set a post Cor. to Sec. 25, 26, 35 & 36, from which
 a Maple 8 in. dia. brans S 44° W 31 yds. dist.
 a do 10 " " " " S 31° E 20 " "
 This mile over flat Oak & hick. timb. land.

East On Random between Sec. 25 & 36,

Lot R2E, T²N. Mer. Indiana

40.00 At temp^y. of Sec. post
80.00 Intersected the E. boundary 55 ths. N. of post
Land timber &c. Same

West On true line between Sec^s 25 & 26, T²N. R2E.
40.00 At of Sec. post at ar^y. dist. on true line, from which
a B. Oak 10 m. diam. bears N 14° W 33 ths. dist^y
a Dogwood 6 " " " N 12° E 36 " "
80.00 to Sec. Cor.

North Between Sec^s 25 & 26, T²N. R2E, T²N. Mer.
13.75 a W. Oak 10 m. diam. in the line
25.00 a Brook 20 ths. wide. C.T.M.
40.00 At the of Sec. post, from which
a W. Oak 15 m. diam. bears N 87° W 9 ths. dist^y
a Do 15 " " " N 20° E 12 " "
69.00 a Brook 15 ths. wide C.T.M.
80.00 At a post Cor. to Sec^s 23, 24, 25 & 26, from which
a Beech 10 m. diam. bears S 5° W 25 ths. dist^y
a Dogwood 6 " " " S 32° W 6 " "
Land, timber &c. Same as on the last mile

East On Randon betwⁿ Sec^s 24 & 25, T²N. R2E
18.00 a Brook 10 ths. wide C.T.S.
40.00 At temp^y. of Sec. post
80.00 Intersected the N. & S. line 21 ths. N. of the post.
Good level timbered land very bushy

West on true line between Sec^s 24 & 25, T²N. R2E.
40.00 At of Sec. post at ar^y. dist. on true line, from which
a B. Oak 8 m. diam. bears S 61° E 3 ths. dist^y
a Do 8 " " " N 71° W 25 " "
80.00 to Sec. Corner.

105

T2 N. R2 E. 2^d. Mer. Indiana

North Between Secs. 23 & 24, T2 N. R2 E. 2^d. Mer.
 33.40 a W. Oak 20 mi. dist. in the line
 40.00 at the q. Sec. post, from which
 a W. Oak 20 mi. dist. bear N 65 E 24 lbs. dist. of
 a Do 20 " " " N 37 W 18 " "
 80.00 at a post Cor. to Secs. 13, 14, 23 & 24, from which
 a Gum 10 mi. dist. bear S 83 W 4 lbs. dist. of
 a B. Oak 5 " " " S 22 W 20 " "
 This mile over very brushy thin Soil, timber
 Oak. &c.

East Out Random between Secs. 13 & 24, T2 N. R2 E.
 40.00 at temp. q. Sec. post
 73.50 a Water Course 10 lbs. wide E. S. W.
 80.00 Intersected the E. boundary 10 lbs. S. of the post.
 Sand, timber &c. same as on the last mile

West on true line betwⁿ. Secs. 13 & 24, T2 N. R2 E.
 40.00 at q. Sec. post at av. dist. from which
 a B. Oak 6 mi. dist. bear N 76 E 6 lbs. dist. of
 a Crab apple 5 " " " S 12 W 7 " "
 80.00 to Sec. Corner.

North Between Secs. 13 & 14, T2 N. R2 E.
 40.00 at the q. Sec. post, from which
 a W. Oak 10 mi. dist. bear S 5 E 14 lbs. dist. of
 a Dogw^d. 6 " " " S 44 W 22 " "
 45.50 at Brook 10 lbs. wide E. S. W.
 80.00 at a post Cor. to Secs. 11, 12, 13 & 14, from which
 a B. Oak 10 mi. dist. bear S 1 E 2 lbs. dist. of
 a Do 10 " " " N 71 W 1 " "
 very brushy thin Soil.

T2 N. R2 E. 2^d Mer. Indiana

East Out Random between Sec. 12 & 13.

This mile was measured by ^{taken} an offset towards the North, on account of a brushy thicket.

79.48 Intersected the E. boundary 10 hrs. N. of post.

West On true line between Sec. 12 & 13 T2 N. R2 E.

25.00 to the E. side of the brushy thicket

79.48 to Sec. Corner.

North Between Sec. 11 & 12, T2 N. R2 E. 2^d Mer.

25.00 at Brook 10 hrs. wide Cr. W

40.00 at the q. Sec. post, from which

a Gum 6 m. dia. bears S 2 E 44 hrs. dist.

a Do 12 " " " S 86 W 20 " "

57.20 a Hickory 12 m. dia. in the line

80.00 at a post Cor. to Sec. 1, 2, 11 & 12, from which

a W. Oak 20 m. dia. bears S 73 E 6 hrs. dist.

a Dogwood 6 " " " S 14 W 17 " "

Land timber &c. Same as on the last mile

East Out Random between Sec. 11 & 12, T2 N. R2 E.

40.00 at the temp. q. Sec. post

79.07 Intersected the E. boundary 5 hrs. N. of the post.

Level Oak timbered land.

West On true line between Sec. 11 & 12, T2 N. R2 E.

39.53 1/2 at q. Sec. post at anj. dist. from which

a Dogwood 6 m. dia. bears S 54 E 18 hrs. dist.

a B. Oak 5 " " " S 55 W 14 " "

79.07 to Sec. Corner.

North Between Sec. 11 & 12, T2 N. R2 E.

Lat. R2E2nd Mer. Indiana

107

14.60 a B. Oak 18 m. dist. in the line
 40.00 Set the q. Sec. post, from which
 a Slogw. 6 m. dist. bears S55E 13 lks. dist. of
 a Do 6 " " " N79W 12 " "
 80.30 Intersected the N. boundary 200 lks. E. of post.
 Set a post Cor. to Sec. 15E, from which
 a Hickory 7 m. dist. bears N85E 19 lks. dist. of
 a B. 12 " " " N88W 44 " "
 Land timber &c. Same as on the last mile

North Between Sec. 34 & 35, T2N, R2E.

17.00 a Gum 10 m. dist. in the line
 40.00 Set the q. Sec. post, from which
 a Maple 6 m. dist. bears N13E 12 lks. dist. of
 a Do 12 " " " S48W 7 " "
 76.50 a Brook 10 lks. wide Cr. West.
 80.00 Set a post Cor. to Sec. 26, 27, 34 & 35, from which
 a W. Oak 20 m. dist. bears S52E 3 lks. dist. of
 an Elm 5 " " " S68W 15 " "
 Flat land, timber W. Oak & maple.

East On Random between Sec. 26 & 35, T2N, R2E.

40.00 Set temp. q. Sec. post
 80.28 Intersected the N & S. line 4 lks. S. of the corner.
 Land timber &c. Same.

West On true line between Sec. 26 & 35, T2N, R2E.

40.14 Set q. Sec. post at a q. dist. from which
 a W. Oak 7 m. dist. bears N37W 17 lks. dist. of
 a Do 12 " " " N73E 25 " "
 80.28 to Sec. Corner.

North Between Sec. 26 & 27, T2N, R2E 2nd Mer.

T²N. R²E. 2^d. Mer. Indiana

- 12.40 a W. Oak 15 in. dia. in the line
 16.00 a Brook 8 lbs. wide C. & W.
 40.00 Let the q. Sec. post. from which
 a W. Oak 12 in. dia. bear 04 E 35 lbs. dist.
 a Do 10 " " " S 40 W 17 " "
 57.00 a Brook 10 lbs. wide C. & W.
 80.00 Let a post Cor. to Sec. 22, 23, 26 & 27, from which
 a W. Oak 20 in. dia. bear 043 E 44 lbs. dist.
 a Do 24 " " " S 58 W 27 " "
 Level Oak timbered land

- East On/Random between Sec. 23 & 26, T²N. R²E.
 40.00 Let temp. q. Sec. post
 60.50 a Brook 15 lbs. wide C. & W.
 80.50 Intersected the N & S. line 17 lbs. N. of post.
 Land, timber &c. same as on the last mile

- West on true line between Sec. 23 & 26, T²N. R²E.
 40.25 Let q. Sec. post at av. dist. from which
 a B. Oak 10 in. dia. bear N 71 W 4 lbs. dist.
 a Do 8 " " " N 85 E 17 " "
 80.50 to Sec. Corner.

- North Between Sec. 22 & 23, T²N. R²E. 2^d. Mer.
 14.00 a B. Oak 18 in. dia. in the line
 40.00 Let the q. Sec. post, from which
 an Elm 10 in. dia. bear 11 E 29 lbs. dist.
 a Locust 10 " " " N 58 E 28 " "
 41.00 a Brook 20 lbs. wide C. & W.
 80.00 Let a post Cor. to Sec. 14, 15, 22 & 23, from which
 a Hickory 10 in. dia. bear N 38 E 7 lbs. dist.
 a Do 15 " " " S 2 W 32 " "
 This mile over very bushy oak & hickory timber. Soil.

T^h N. R2 E. 2^d. Mer. Indiana 109th

East On Random between Sec. 14 & 23, T^h N. R2 E.
40.00 Let temp^y. of. Sec. post
80.10 Intersected the N & S. line 33 l^hs. N. of post.
Land, timber &c. same as on the last mile

West On true line between Sec. 14 & 23, T^h N. R2 E.
40.05 Let of. Sec. post, at av^y. dist on true line from
which a W. Oak 10 m. dia. bears S 89 E 19 l^hs. dist. of
a No 20 " " " S 35 W 6 " "
80.10 to Sec. Corner.

North Between Sec. 14 & 15, T^h N. R2 East
40.00 Let the of. Sec. post, from which
a W. Oak 10 m. dia. bears S 79 W 19 l^hs. dist. of
a No 5 " " " S 13 W 12 " "
80.00 Let a post Cor. to Sec. 10, 11, 14 & 15, from which
a W. Oak 12 m. dia. bears N 1 E 22 l^hs. dist. of
a No 6 " " " S 67 W 11 " "
This mile over very brushy Oak & Hickory timber land

East On Random between Sec. 11 & 14, T^h N. R2 E.
25.00 a Brook 10 l^hs. wide C. S. N 80 W
40.00 Let temp^y. of. Sec. post
80.09 Intersected the N & S. line 5 l^hs. N. of the post
Over very brushy thin Soil, midling farming land

West On true line, betwⁿ. Sec. 11 & 14, T^h N. R2 E.
40.04¹/₂ Let of. Sec. post at av^y. dist. on true line from which
a W. Oak 10 m. dia. bears S 84 W 48 l^hs. dist. of
a No 20 " " " S 67 W 45 " "
80.09 Section Corner.

North Between Sec. 10 & 11, T^h N. R2 E. 2^d. Mer.

T2N R2E 2nd Mer. Indiana

- 3.00 at Brook 12 hrs. wide C.S.W.
 40.00 at the q. Sec. post, from which
 a W. Oak 6 mi. dia. bears N 27 E 30 hrs. dist. &
 an Elm 6 " " " N 28 W 13 " "
 52.00 at Brook 15 hrs. wide C.S.W.
 80.00 at a post Cor. to Sec. 2, 3, 10 & 11, from which
 a W. Oak 20 mi. dia. bears N 23 W 29 hrs. dist. &
 a do 20 " " " N 41 E 29 " "
 This mile over (midling farming Soil, under-
 brush Spruce wood. &c.

East On Random between Sec. 2 & 11, T2N R2E.

- 39.00 at Brook 12 hrs. wide C.S.W.
 40.00 at temp. q. Sec. post
 80.11 Intersected the N & S line 16 hrs. N. of Sec. Cor.
 Sand, timber &c. same as on the last mile

West On true line between Sec. 2 & 11, T2N R2E.

- 40.05 1/2 at the q. Sec. post at av. dist. from which
 an Ironw. 6 mi. dia. bears N 81 E 20 hrs. dist. &
 a Red bud 6 " " " N 1 E 12 " "
 80.11 to Sec. Corner.

North Between Sec. 2 & 3, T2N R2E 2nd Mer.

- 40.00 at the q. Sec. post, from which
 a W. Oak 15 mi. dia. bears N 57 W 25 hrs. dist. &
 a B. Oak 10 " " " N 10 E 23 " "
 81.28 Intersected the N. boundary 156 hrs. E. of post &
 at a post Cor. to Sec. 2 & 3, from which
 a Poplar 20 mi. dia. bears N 31 E 44 hrs. dist. &
 a W. Oak 15 " " " N 78 W 17 " "
 Found the same. Nov. 25th. 1806.

T2N R2E 2^d. Mer. Indiana

11

North Between Secs. 33 & 34, T2N, R2E, 2^d. Mer
 40.00 Set the q. Sec. post, from which
 a Dogwood 6 m. dist. bear S 4 E 10 lks. dist. of
 a Loc 6 " " " S 73 W 11 " "
 80.00 Set a post Cor. to Secs. 27, 28, 33 & 34, from which
 a B. Oak 20 m. dist. bear S 33 W 19 lks. dist. of
 a Hickory 6 " " " N 73 W 6 " "
 This mile over very brushy Oak & thick timber land.

East On Random between Secs. 27 & 34, T2N, R2E
 40.00 Set temp. q. Sec. post
 73.00 a Brook 10 lks. wide C. & S.
 80.80 Intersected the N & S. line 4 lks. S. of the post
 Land, timber &c. same as on the last mile

West On true line between Secs. 27 & 34, T2N, R2E.
 40.40 Set q. Sec. post at av. dist. from which
 a B. Oak 20 m. dist. bear N 85 W 28 lks. dist. of
 a Maple 15 " " " N 44 W 19 " "
 80.80 to Sec. Cor.

North Between Secs. 27 & 28, T2N, R2E, 2^d. Mer
 40.00 Set the q. Sec. post, from which
 a B. Oak 15 m. dist. bear N 83 E 13 lks. dist. of
 a W. Oak 10 " " " West 92 " "
 80.00 Set a post Cor. to Secs. 21, 22, 27 & 28, from which
 a Hickory 10 m. dist. bear S 69 W 38 lks. dist. of
 a B. Oak 24 " " " S 78 E 38 " "
 Land timber &c. same as on the last mile

East On Random between Secs. 22 & 27, T2N, R2E.
 18.00 a Brook 15 lks. wide C. & S. W.
 40.00 Set temp. q. Sec. post.

T2 N. R2 E. 2^d Mer. Indiana

80.14 Intersected the N & S. line 28 lks. S. of post
Sand, timber &c. Same as on the last mile

West On true line betwⁿ. Sec. 22 & 27, T2 N. R2 E.

40.07 Set q^r. Sec. post at av^r. disk from which
a Hickory 5 in. dia. bear N 88 W 5 lks. dist. &
a do 5 " " " N 86 E 16 " "

80.14 to Sec. Cor.

North Between Sec. 21 & 22, T2 N. R2 East

32.50 a Brook 15 lks. wide C. S. W.

40.00 Set a post Cor. to q^r. Sec. from which
a W. Oak 10 in. dia. bear S 45 W 5 lks. dist. &
an Iron? 6 " " " N 31 E 9 " "

41.50 a Brook 20 lks. wide C. S. W.

80.00 Set a post Cor. to Sec. 15, 16, 21 & 22, from which
a W. Oak 20 in. dia. bear N 18 E 20 lks. dist. &
a do 15 " " " N 18 W 12 " "
Sand timber, &c. Same as on the last mile

East On Rand^m. between Sec. 15 & 22, T2 N. R2 E.

40.00 Set temp^y. q^r. Sec. post, from which

80.41 Intersected the N & S. line 6 lks. S. of Corner
Sand, timber &c. Same as on the last mile

West On true line, betwⁿ. Sec. 15 & 22, T2 N. R2 E.

40.20¹/₂ Set q^r. Sec. post, from which

a Hickory 10 in. dia. bear N 71 E 25 lks. dist. &
a Poplar 6 " " " — 13 " "

80.41 to Sec. Corner.

North Between Sec. 15 & 16, T2 N. R2 E.

33.80 a W. Oak 20 in. dia. in the line

113

T2N R2E. 2^d. Mer. Indiana

40.00 At the q. Sec. post, from which
a Gum 10 mi. dist. bear N 12 W 38 lbs. dist. &
a Dogw. 5 " " " N 85 E 9 " "
80.00 At a post Cor. to Sec. 9, 10, 15 & 16, from which
a Gum 6 mi. dist. bear S 39 E 11 lbs. dist. &
a B. Oak 10 " " " S 84 W 9 " "
Land timber &c. Same as on the last mile

East On Random between Sec. 10 & 15, T2N. R2E.
40.00 At temp. q. Sec. post
80.00 Intersected the N & S. line 6 lbs. N. of post
Land timber &c. Same as on the last mile

West On true line between Sec. 10 & 15, T2N. R2E
40.00 At q. Sec. post at av. dist. from which
a B. Oak 8 mi. dist. bear N 31 E 11 lbs. dist. &
a Poplar 8 " " " S 78 W 29 " "
80.00 to Sec. Corner.

North Between Sec. 9 & 10, T2N. R2E East
36.50 at Brook 50 lbs. wide Cr. N. W.
40.00 At the q. Sec. post, from which
a Red bud 5 mi. dist. bear N 74 E 5 lbs. dist. &
a B. Oak 15 " " " N 12 W 14 " "
80.00 At a post Cor. to Sec. 3, 4, 9 & 10, from which
an Ironwood 6 mi. dist. bear S 40 E 6 lbs. dist. &
a Mulberry 10 " " " N 21 W 17 " "
Good farming land.

East On Random between Sec. 3 & 10, T2N. R2E.
40.00 At temp. q. Sec. post
80.26 Intersected the N & S. line at the post.
Middling farming land, undgth Spruce wood

T. N. R. 2 E. 1st Mer. Indiana

West On true line between Sec. 3 & 10, T. N. R. 2 E.
 40.13 Let of. Sec. post at a J. dist. from which
 a W. Oak 10 m. dist. bear S 24° W 15 lbs dist.
 a Walnut 5 " " " N 64° E 20 " "
 80.26 to Sec. Corner.

North Between Sec. 3 & 4, T. N. R. 2 E.
 4.65 a B. Walnut 10 m. dist. in the line
 40.00 Let the of. Sec. post, from which
 a B. Oak 15 m. dist. bear N 42° E 13 lbs. dist.
 a Dogwood 5 " " " S 12° W 26 " "
 81.50 Intersected the N. boundary 130 lbs. E. of post
 Let a post Cor. to Sec. 3 & 4, from which
 a Hickory 6 m. dist. bear S 4° W 19 lbs. dist.
 a Do 15 " " " N 89° W 22 " "
 Land timber &c. same

North Between Sec. 32 & 33, T. N. R. 2 E.
 28.80 a Hickory 24 m. dist. in the line
 40.00 Let the of. Sec. post, from which
 a Dogwood 6 m. dist. bear S 37° W 28 lbs. dist.
 a Mulberry 10 " " " N 36° E 6 " "
 80.00 Let a post Cor. to Sec. 28, 29, 32 & 33, from which
 a Dogwood 6 m. dist. bear S 16° E 13 lbs. dist.
 a Do 6 " " " N 17° E 18 " "
 Good farming land, timber Ash, Hickory, and
 Walnut.

East On Random between Sec. 28 & 33, T. N. R. 2 E.
 40.00 Let temp. of Sec. post
 81.46 Intersected the N & S. line 22 lbs. N. of post.
 Land timber &c. same

115

T2 N. R2 E. 2^d. Mer. Indiana

West On true line between 28 & 33, T2 N. R2 E.
 40.73 Set of Sec. post at av. dist. from which
 a Gum 8 mi. dist. bears S18 E 17 1/2 mi. dist. of
 a W. Oak 8 " " " N30 W 14 " "
 81.46 to Sec. Corner

North Between Secs. 28 & 29, T2 N. R2 E. 2^d. Mer.
 25.60 a P. Oak 20 mi. dist. in the line
 40.00 Set the of. Sec. post, from which
 a W. Oak 15 mi. dist. bears N9 W 25 1/2 mi. dist. of
 a Do 20 " " " S9 E 17 " "
 80.00 Set a post Cor. to Secs. 20, 21, 28 & 29, from which
 a Hickory 10 mi. dist. bears S26 W 11 1/2 mi. dist. of
 a Dogwood? 4 " " " N17 E 7 " "
 Land timber &c same as on the last mile

East On Random, Between Secs. 21 & 28, T2 N. R2 E.
 40.00 Set temp. of. Sec. post
 80.28 intersected the N & S. line 3 1/2 mi. N. of the post
 Over brushy Oak timbered land

West On true line between Secs. 21 & 28, T2 N. R2 E.
 40.14 Set of Sec. post at av. dist. from which
 a Gum 10 mi. dist. bears N64 E 14 1/2 mi. dist. of
 a Hickory 10 " " " S50 E 21 " "
 80.28 to Sec. Corner.

North Between Secs. 20 & 21, T2 N. R2 E.
 12.10 a P. Oak 30 mi. dist. in the line
 40.00 Set the of. Sec. post. from which
 a P. Oak 15 mi. dist. bears N21 E 17 1/2 mi. dist. of
 a Do 10 " " " S31 E 13 " "
 80.00 Set a post Cor. to Secs. 16, 17, 20 & 21, from which

2^d N. R2 E. 2^d Mer. Indiana

a Sycamore 4 in. dia. bears N22W 19 lbs. dist. 6
 a do 6 " " " N36E 31 " "
 This mile over very brushy flat land.

East On Random between Sec. 16 & 21, 2^d N. R2 E
 0.50 a Brook 20 lbs. wide Cr. S. M.
 5.50 Same 20 " " " S. M.
 15.00 Same 20 " " " N. M.
 40.00 Set temp. of Sec. post
 80.58 Intersected the N. & S. line 9 lbs. N. of post.
 Sand, timber &c. Same

West On true line between Sec. 16 & 21, 2^d N. R2 E.
 40.29 Set of Sec. post at adj. dist. from which
 a W. Oak 30 in. dia. bears N15E 19 lbs. dist. 6
 a do 20 " " " S57W 29 " "
 80.58 to Sec. Corner.

North Between Sec. 16 & 17, 2^d N. R2 East
 0.60 a Brook 20 lbs. wide Cr. S. M.
 40.00 Set the of Sec. post, from which
 a W. Oak 10 in. dia. bears N22W 30 lbs. dist. 6
 a Poplar 10 " " " N20W 30 " "
 80.00 Set a post Cor. to Sec. 8, 9, 16 & 17, from which
 a B. Oak 20 in. dia. bears N4E 25 lbs. dist. 6
 a Dogwood 5 " " " N19W 12 " "
 Sand, timber &c. Same as on the last mile

East On Random betw. ~~Sec. 9 & 16~~ Sec. 9 & 16, 2^d N. R2 E
 40.00 Set temp. of Sec. post
 80.12 Intersected the N. & S. 27 lbs. N. of the cor.
 This mile over very brushy Soil

117

T2 N. R2 E. T. Mer. Indiana

West On true line between Sec. 9 & 16, T2 N. R2 E.
 40.00 Set q. Sec. post at av. j. dist. from which
 a B. Oak 10 mi. dist. bears N62W35 1/2 k. dist. of
 a Do 6 " " " S40E25 " "
 80.12 to Sec. Cor.

North Between Sec. 8 & 9, T2 N. R2 East
 34.00 a Brook 50 k. wide C. W.
 40.00 Set the q. Sec. post, from which
 a W. Oak 20 mi. dist. bears N10W21 k. dist. of
 a Walnut 8 " " " S40W21 " "
 80.00 Set a post Cor. to Sec. 5, 4, 8 & 9, from which
 a Hickory 6 mi. dist. bears S34W4 k. dist. of
 a Dogwood 6 " " " S69E10 " "
 Middling farming Soil timber Sugar, Oak,
 Hickory &c.

East On Random between Sec. 4 & 9, T2 N. R2 E.
 40.00 Set temp. q. Sec. post
 80.00 Intersected the N. & S. line 42 k. N. of post.
 Sand, timber &c. Same as on the last mile

West On true line between Sec. 4 & 9, T2 N. R2 E.
 40.00 Set q. Sec. post at av. j. dist. from which
 a Gum 10 mi. dist. bears N18E21 k. dist. of
 a Hickory 8 " " " N58W24 " "
 80.00 to Sec. Corner.

North Between Sec. 4 & 5, T2 N. R2 E. T. Mer.
 27.00 a B. Oak 15 mi. dist. in the line
 40.00 Set the q. Sec. post, from which
 a B. Oak 5 mi. dist. bears N4W29 k. dist.
 a Do 5 " " " N44E14 1/2 " "

T²N. R²E. 2^d, Mer. Indiana

81.15 Intersected the N. Boundary 93 lks. E. of post
 at a post Corner to Sec. 4 & 5, from which
 a W. Oak 5 m. dia. beam 151 W 6 lks. dist. of
 a Poplar 6 " " " N 39 E 13 " "
 Sand, timber &c. same as on the last mile

North Between Sec. 31 & 32, T²N. R²E.

40.00 at the q. Sec. post, from which
 a Beech 6 m. dia. beam 110 E 45 lks. dist. of
 a Do 10 " " " S 60 E 24 " "

76.00 at Brook 10 lks. wide Course W.

80.00 at a post Cor. to Sec. 29, 30, 31 & 32, from which
 a Beech 10 m. dia. beam 131 E 14 lks. dist. of
 a Do 5 " " " S 70 W 11 " "
 this mile over level Beech, Ash, Oak, hickory land

East On Random between Sec. 29 & 32, T²N. R²E.

40.00 at tempt. q. Sec. post, in a branch 10 lks. w. S. W.

50.00 same Brook 10 lks. wide C. S. W.

56.00 same Do 10 " " " S. W.

80.91 Intersected the N. & S. line 29 lks. N. of post.
 Sand timber &c. same as on the last mile

West On true line between Sec. 29 & 32, T²N. R²E.

40.45 1/2 at q. Sec. post, at ap. dist. from which
 a Beech 20 m. dia. beam 122 E 19 lks. dist. of
 a Sugar 4 " " " N 19 E 11 " "

80.91 to Sec. Corner.

North Between Sec. 29 & 30, T²N. R²E. 2^d, Mer.

17.00 at Brook 20 lks. wide C. S. W.

40.00 at the q. Sec. post, from which
 a W. Oak 5 m. dia. beam 17 W 2 lks. dist. of

T2 N R2 E. 2nd Mer. Indiana

a Poplar 8 m. dia. brang N 39 W 10 1/2 lks. dist.
55.15 a Beech 10 " " in the line
80.00 Set a post Cor. to Sec. 19, 20, 29 & 30, from which
a Beech 20 m. dia. brang N 18 E 9 lks. dist. &
a Elm 10 " " " N 65 W 30 " "
Land timber &c. same.

East On Randm. between Sec. 20 & 29, T2 N. R2 E.
40.00 Set temp. q. Sec. post
80.26 Intersected the N. & S. line 30 lks. N. of Corner
Land, timber &c. same as on the last mile

West on true line between Sec. 20 & 29, T2 N. R2 E.
40.13 Set q. Sec. post at av. dist. from which
a Gum 10 m. dia. brang N 32 W 21 lks. dist. &
a W. Oak 20 " " " N 16 W 17 " "
80.26 to Sec. Corner.

North Between Sec. 19 & 20, T2 N. R2 E. 2nd Mer.
1.75 a Beech 15 m. dia. in the line
40.00 Set the q. Sec. post, from which
a Beech 10 m. dia. brang N 14 W 10 lks. dist. &
a Poplar 20 " " " N 24 W 14 " "
80.00 Set a post Cor. to Sec. 17, 18, 19 & 20, from which
a W. Oak 12 m. dia. brang N 66 E 25 lks. dist. &
a Dogwood 5 " " " N 10 W 11 " "
Paddling farming, Oak & hickory land.

East On Randm. betw. Sec. 17 & 20, T2 N. R2 E.
40.00 Set temp. q. Sec. post
80.00 Intersected the N. & S. line 38 lks. N. of the post.
This mile over brush Oak, timbered Soil

T²N. R²E. 2^d. Mer. Indiana

West On true line between Sec. 17 & 20, T²N. R²E.
 40.00 Set of Sec. post at av. dist. from which
 an Ironw. 5 m. dist. bears N 0° 17' 1/2 W. dist. of
 an Elm 10 " " " N 27° E 11 " "
 80.00 to Sec Corner.

North Between Sec. 17 & 18, T²N. R²E. 2^d. Mer.
 40.00 Set the of Sec. post from which
 a Gum 10 m. dist. bears S 2° E 21 1/2 W. dist. of
 a Walnut 10 " " " N 20° E 29 " "
 42.03 a W. Oak 20 " " with line
 80.00 Set a post Cor. to Sec. 7, 8, 17 & 18, from which
 a W. Oak 5 m. dist. bears S 1° E 44 1/2 W. dist. of
 a do 10 " " " N 89° E 17 " "
 Sand timber for same as on the last mile

East On Random between Sec. 8 & 17, T²N. R²E.
 12.00 a Brook 50 yds. wide Cr. & R. W.
 40.00 Set temp. of Sec. post
 80.50 Intersected the N. S. line 40 yds. N. of Corner.
 Sand timber for same as on the last mile

West On true line between Sec. 8 & 17, T²N. R²E.
 40.25 Set the of Sec. post at av. dist. from which
 an Elm 10 m. dist. bears N 80° E 25 1/2 W. dist. of
 a W. Oak 24 " " " N 76° W 40 " "
 80.50 to Section Corner.

North Between Sec. 7 & 8, T²N. R²E. 2^d. Meridian
 21.50 a Brook 100 yds. wide Cr. West
 40.00 Set the of Sec. post, from which
 a Sugar 15 m. dist. bears S 6° W 45 1/2 W. dist. of
 a W. Oak 15 " " " N 50° W 7 " "

Loc R2E2nd Mer. Indiana 121

80.00 Set a post Cor. to Sec. 5, 6, 7 & 8, T2N, R2E.
from which a Beech 8 m. dia. bran S11E20 lks. dist. of
a W. Oak 10 " " " S40W14 " "
This mile over middling farming land timber
Oak, Hickory and Sugar.

East On Random between 5 & 8, T2N, R2E.

40.00 Set temp. of Sec. post

80.40 Intersected the N & S. line 19 lks. N. of Sec. Cor.
Land, timber &c. same as on the last mile

West On true line between Sec 5 & 8, T2N, R2E.

40.20 Set of Sec. post, from which
a W. Oak 10 m. dia. bran S29E14 lks. dist. of
a Do 8 " " " S56E41 " "

80.40 to Sec. Corner

North Between Sec. 5 & 6, T2N, R2E, 2nd Mer.

40.00 Set the of Sec. post, from which
a Gum 10 m. dia. bran N44W56 lks. dist. of
a W. Oak 8 " " " N29W17 " "

81.25 Intersected the N. boundary 32 lks. E. of post
Set a post Cor. to Sec. 5 & 6, T2N, R2E, from which
a Poplar 6 m. dia. bran S9E5 lks. dist. of
a Do 8 " " " S12W36 " "
Land timber &c. same as on the last mile

November 28th 1806.

West Between Sec. 6 & 7, T2N, R2E, 2nd Mer.

15.00 a W. Oak 20 m. dia. in the line

40.00 Set the of Sec. post, from which
a W. Oak 20 m. dia. bran S36E22 lks. dist. of
a Gum 10 " " " S51E10 " "

T²N R2E 2^d Mer. Indiana

84.75 Intersected the W. boundary 274 lks. S. of Corner.
 & Set a post Cor. to Sect. 6 & 7, from which
 a Beech 8 m. dia. bears N 13 E 13 lks. dist. of
 a Walnut 10 " " " S 40 W 7 " "
 middling farming land, timber Oak, Hickory
 Poplar & Ash.

West Between Sect. 7 & 18, T²N R2E East
 40.00 At the q. Sec. post, from which
 a W. Oak 6 m. dia. bears S 78 E 26 1/2 lks. dist. of
 a Gum 10 " " " S 35 W 4 " "
 83.88 Intersected the W. boundary 263 lks. S. of post
 & Set a post Cor. to Sect. 7 & 18, from which
 a Dogwood 6 m. dia. bears S 20 E 2 lks. dist. of
 a Gum 10 " " " S 56 W 26 " "
 Middling Soil but more brushy

West Between Sect. 18 & 19, T²N R2E 2^d Mer.
 40.00 At the q. Sec. post, from which
 a Dogwood 6 m. dia. bears S 89 E 11 lks. dist. of
 a Poplar 6 " " " N 2 W 2 " "
 46.25 a W. Oak 24 " " with the line
 82.97 Intersected the W. boundary 176 lks. S. of post
 & Set a post Cor. to Sect. 18 & 19, from which
 a Beech 20 m. dia. bears N 27 E 13 lks. dist. of
 a Dogwood 6 " " " N 1 W 15 " "
 This mile over middling brushy Soil, timber Same

West Between Sect. 19 & 30, T²N R2E 2^d Mer.
 11.20 a W. Oak 20 m. dia. with the line
 22.45 a B. Oak 20 " " " " "
 27.80 a Brook 10 lks. wide C. S. S. W.
 40.00 At the q. Sec. post, from which

T² N. R² E. 3^d Mer. Indiana

a Maple 15 mi. dist. bear N 9 W 1 lb. dist of
 a do 20 " " " S 8 E 32 " "
 75.00 a Brook 10 lbs. wide C.P. S.
 82.06 Intersected the N. boundary 113 lbs. S. of post.
 Set a post Cor. to Sec. 19 & 30, from which
 a Maple 20 mi. dist. bear N 11 E 15 lbs. dist of
 a do 12 " " " S 73 E 16 " "
 This mile over flat Beech timber land

West Between Sec. 30 & 31, T² N. R² E East
 7.50 a Brook 15 lbs. wide C.P. S.
 40.00 Set a post Cor. to 9th Sec. from which
 a W. Oak 8 mi. dist. bear N 65 W 8 lbs. dist of
 a do 6 " " " S 15 E 19 " "
 57.00 a Brook 60 lbs. wide C.P. S.
 81.72 Intersected the N. boundary 48 lbs. S. of post of
 Set a post Cor. to Sec. 30 & 31, from which
 a Sugar 12 mi. dist. bear S 83 E 21 lbs. dist of
 a Beech 20 " " " S 21 E 36 " "
 Sand timber &c. same as on the last mile
 Surveyed by Arthur Henrie, Dep. Sur.

I certify that the foregoing transcript of field
 notes of Township N. 2, R. 2, E. 3^d,
 Mer. Indiana has been compared with the origin-
 al notes in this office & found to be correct.
 Surveyor General's Office
 Cincinnati, Dec. 30, 1840

E. P. Cairns
 Sur. Gen.